Contents of Volume 52

Vol. 52, No. 1 May (I) 2003

Editorial vii–viii

A maize QTL for silk maysin levels contains duplicated Myb-homologous genes which jointly regulate flavone biosynthesis
P. Zhang, Y. Wang, J. Zhang, S. Maddock, M. Snook, T. Peterson 1–15

Expression of anti human IL-4 and IL-6 scFvs in transgenic tobacco plants
P. Ehsani, A. Meunier, F. Nato, A. Jafari, A. Nato, P. Lafaye 17–29

Expression pattern of diacylglycerol acyltransferase-1, an enzyme involved in triacylglycerol biosynthesis, in *Arabidopsis thaliana*
C.L. Lu, S.B. de Noyer, D.H. Hobbs, J. Kang, Y. Wen, D. Krachtus, M.J. Hills 31–41

Family 19 chitinase from rice (*Oryza sativa* L.): substrate-binding subsites demonstrated by kinetic and molecular modeling studies
C. Sasaki, Y. Itoh, H. Takehara, S. Kuhara, T. Fukamizo 43–52

T-DNA tagging in *Brassica napus* as an efficient tool for the isolation of new promoters for selectable marker genes
J. Bade, E. van Grinsven, J. Custers, S. Hoekstra, A. Ponstein 53–68

Retroelements, transposons and methylation status in the genome of oil palm (*Elaeis guineensis*) and the relationship to somaclonal variation
S.E. Kubis, A.M.M.F. Castilho, A.V. Vershinin, J.S. (Pat) Heslop-Harrison 69–79

Gene expression in cadmium-tolerant *Datura innoxia*: detection and characterization of cDNAs induced in response to Cd^{2+}
M. Louie, N. Kondor, J.G. DeWitt 81–89

An arabinogalactan protein associated with secondary cell wall formation in differentiating xylem of loblolly pine
Y. Zhang, G. Brown, R. Whetten, C.A. Loopstra, D. Neale, M.J. Kieliszewski, R.R. Sederoff 91–102

Root-specific expression of a western white pine PR10 gene is mediated by different promoter regions in transgenic tobacco
J.-J. Liu, A.K.M. Ekramoddoullah 103–120

The over-expression of an alfalfa RING-H2 gene induces pleiotropic effects on plant growth and development
W.M. Karlowski, A.M. Hirsch 121–133

Differential activities of the Arabidopsis phyB/D/E phytochromes in complementing *phyB* mutant phenotypes
R.A. Sharrock, T. Clack, L. Goosey 135–142

Characterization of a pathogen-induced calmodulin-binding protein: mapping of four Ca^{2+}-dependent calmodulin-binding domains
V.S. Reddy, G.S. Ali, A.S.N. Reddy 143–159

A comprehensive characterization of single-copy T-DNA insertions in the *Arabidopsis thaliana* genome
A. Forsbach, D. Schubert, B. Lechtenberg, M. Gils, R. Schmidt **161–176**

A novel potato defence-related alcohol: $NADP^+$ oxidoreductase induced in response to *Erwinia carotovora*
M. Montesano, H. Hyytiainen, R. Wettstein, E.T. Palva **177–189**

Novel mode of hormone induction of tandem tomato invertase genes in floral tissues
R.K. Proels, B. Hause, S. Berger, T. Roitsch **191–201**

Studies on the effects of a flanking repetitive sequence on the expression of single-copy transgenes in *Nicotiana sylvestris* and in *N. sylvestris-N. tomentosiformis* hybrids
C. Kunz, J. Narangajavana, J. Jakowitsch, Y.-D. Park, T.R. Delon, A. Kovarik, B. Koukalova, J. van der Winden, E. Moscone, W. Aufsatz, M.F. Mette, M. Matzke, A.J.M. Matzke **203–215**

Epigenetic interactions between *Arabidopsis* transgenes: characterization in light of transgene integration sites
H. Qin, Y. Dong, A.G. von Arnim **217–231**

Rguzisecretion of a monoclonal antibody protein complex from transgenic tobacco roots
P.M.W. Drake, D.M. Chargelegue, N.D. Vine, C.J. van Dolleweerd, P. Obregon, J.K-C. Ma **233–241**

Instructions for authors **243–246**

Vol. 52, No. 2 May (II) 2003

Mini review

Transgene integration, organization and interaction in plants
A. Kohli, R.M. Twyman, R. Abranches, E. Wegel, E. Stoger, P. Christou **247–258**

Research articles

Investigations on the *in vitro* import ability of mitochondrial precursor proteins synthesized in wheat germ transcription-translation extract
P. Dessi, P.F. Pavlov, F. Wallberg, C. Rudhe, S. Brack, J. Whelan, E. Glaser **259–271**

***Arabidopsis* RecQsim, a plant-specific member of the RecQ helicase family, can suppress the MMS hypersensitivity of the yeast *sgs1* mutant**
M.B. Bagherieh-Naijar, O.M.H. de Vries, J.T.M. Kroon, E.L. Wright, K.M. Elborough, J. Hille, P.P. Dijkwel **273–284**

Molecular analysis of the *Chlamydomonas* nuclear gene encoding PsbW and demonstration that PsbW is a subunit of photosystem II, but not photosystem I
C.L. Bishop, S. Purton, J.H.A. Nugent **285–289**

The putative gymnosperm plant defensin polypeptide (SPI1) accumulates after seed germination, is not readily released, and the SPI1 levels are reduced in *Pythium dimorphum*-infected spruce roots
C.G. Fossdal, N.E. Nagy, P. Sharma, A. Lenneborg **291–302**

The *Lotus japonicus ndx* gene family is involved in nodule function and maintenance
M. Grfinlund, C. Gustafsen, A. Roussis, D. Jensen, L.P. Nielsen, K.A. Marcker, E.ffl. Jensen **303–316**

Characterization of a *PttRPS18* promoter active in the vascular cambium region of hybrid aspen
A.-M. Johansson, C. Wang, A. Stenberg, M. Hertzberg, C.H.A. Little, O. Olsson **317–329**

Molecular characterization of His-Asp phosphorelay signaling factors in maize leaves: Implications of the signal divergence by cytokinin-inducible response regulators in the cytosol and the nuclei
Y. Asakura, T. Hagino, Y. Ohta, K. Aoki, K. Yonekura-Sakakibara, A. Deji, T. Yamaya, T. Sugiyama, H. Sakakibara **331–341**

Light induction of carotenoid biosynthesis genes in the green alga *Haematococcus pluvialis*: regulation by photosynthetic redox control
J. Steinbrenner, H. Linden **343–356**

RNA-binding protein-mediated translational repression of transgene expression in plants
R.E. Cerny, Y. Qi, C.M. Aydt, S. Huang, J.J. Listello, B.J. Fabbri, T.W. Conner, L. Crossland, J. Huang **357–369**

Identification of a novel sugar transporter homologue strongly expressed in maturing stem vascular tissues of sugarcane by expressed sequence tag and microarray analysis
R.E. Casu, C.P.L. Grof, A.L. Rae, C.L. McIntyre, C.M. Dimmock, J.M. Manners **371–386**

Expression of a cauliflower tonoplast aquaporin tagged with GFP in tobacco suspension cells correlates with an increase in cell size
D. Reisen, N. Leborgne-Castel, C. Özalp, F. Chaumont, F. Marty **387–400**

Allopolyploidy alters gene expression in the highly stable hexaploid wheat
P. He, B.R. Friebe, B.S. Gill, J.-M. Zhou **401–414**

Stable wheat transformation obtained without selectable markers
H.R. Permingeat, M.L. Alvarez, G.D.L. Cervigni, R.A. Ravizzini, R.H. Vallejos **415–419**

Complete sequence analysis of transgene loci from plants transformed via microprojectile bombardment
I. Makarevitch, S.K. Svitashev, D.A. Somers **421–432**

A maize defense-inducible gene is a major facilitator superfamily member related to bacterial multidrug resistance efflux antiporters
C.R. Simmons, M. Fridlender, P.A. Navarro, N. Yalpani **433–446**

Characterization of two Myb-like transcription factors binding to *CAB* promoters in wheat and barley
Y. Churin, E. Adam, L. Kozma-Bognar, F. Nagy, T. Berner **447–462**

A thylakoidal processing peptidase from the heterokont alga *Heterosigma akashiwo*
B.K. Chaal, K.-i. Ishida, B.R. Green **463–472**

Active gene expression of a xyloglucan endotransglucosylase/hydrolase gene, *XTH9*, in inflorescence apices is related to cell elongation in *Arabidopsis thaliana*
H. Hyodo, S. Yamakawa, Y. Takeda, M. Tsuduki, A. Yokota, K. Nishitani, T. Kohchi **473–482**

The *Agrobacterium* oncogene AB-*6b* causes a graft-transmissible enation syndrome in tobacco
A. Helfer, B. Clément, P. Michler, L. Otten **483–493**

Vol. 52, No. 3 June (I) 2003

Structure of the tobacco caffeic acid *O*-methyltransferase (COMT) II gene: identification of promoter sequences involved in gene inducibility by various stimuli
V. Toquin, B. Grausem, P. Geoffroy, M. Legrand **495–509**

Mapping quantitative physiological traits in apple (*Malus* × *domestica* Borkh.
R. Liebhard, M. Kellerhals, W. Pfammatter, M. Jertmini, C. Gessler **511–526**

Labile DNA sequences in flax identified by combined sample representational difference analysis (csRDA)
T.J. Oh, C.A. Cullis **527–536**

Rice gene expression in response to *N*-acetylchitooligosaccharide elicitor: comprehensive analysis by DNA microarray with randomly selected ESTs
C. Akimoto-Tomiyama, K. Sakata, J. Yazaki, K. Nakamura, F. Fujii, K. Shimbo, K. Yamamoto, T. Sasaki, N. Kishimoto, S. Kikuchi, N. Shibuya, E. Minami **537–551**

Use of SAGE technology to reveal changes in gene expression in *Arabidopsis* leaves undergoing cold stress
S.-H. Jung, J.-Y. Lee, D.-H. Lee **553–567**

Salt-dependent expression of a nitrate transporter and two amino acid transporter genes in *Mesembryanthemum crystallinum*
O.V. Popova, K.-J. Dietz, D. Golldack **569–578**

***OsBP-73*, a rice gene, encodes a novel DNA-binding protein with a SAP-like domain and its genetic interference by double-stranded RNA inhibits rice growth**
J. Chen, W.-H. Tang, M.-M. Hong, Z.-Y. Wang **579–590**

Cloning, characterization and regulation of a family of phi class glutathione transferases from wheat
I. Cummins, D. O'Hagan, I. Jablonkai, D.J. Cole, A. Hehn, D. Werck-Reichhart, R. Edwards **591–603**

Heterologous expression of cDNAs encoding *Chlorella sorokiniana* NADP-specific glutamate dehydrogenase wild-type and mutant subunits in *Escherichia coli* cells and comparison of kinetic and thermal stability properties of their homohexamers
S.J. Lawit, P.W. Miller, W.I. Dunn, J.S. Mirabile, R.R. Schmidt **605–616**

Commonality of self-recognition specificity of *S* haplotypes between *Brassica oleracea* and *Brassica rapa*
Y. Sato, R. Fujimoto, K. Toriyama, T. Nishio **617–626**

Excess non-synonymous substitutions suggest that positive selection episodes occurred during the evolution of DNA-binding domains in the *Arabidopsis* R243-MYB gene family
L. Jia, M.T. Clegg, T. Jiang **627–642**

The promoter of the nematode resistance gene $Hs1^{pro-1}$ activates a nematode-responsive and feeding site-specific gene expression in sugar beet (*Beta vulgaris* L.) and *Arabidopsis thaliana*
T. Thurau, S. Kifle, C. Jung, D. Cai **643–660**

Rare instances of Cre-mediated deletion product maintained in transgenic wheat
V. Srivastava, D.W. Ow **661–668**

Restriction accessibility in isolated nuclei reveals light-induced chromatin reorganization at the PEPC promoter in maize
R. Kalamajka, S. Hahnen, M. Cavalar, S. Tepsch, D. Weier, C. Peterhansel **669–678**

Two basic-helix-loop-helix genes (*MYC-146* and *GL3* from *Arabidopsis* can activate anthocyanin biosynthesis in a white-flowered *Matthiola incana* mutant
N.A. Ramsay, A.R. Walker, M. Mooney, J.C. Gray **679–688**

Regulation of the nitrate transporter gene *AtNRT2.1* in *Arabidopsis thaliana*: responses to nitrate, amino acids and developmental stage
P. Nazoa, J.J. Vidmar, T.J. Tranbarger, K. Mouline, I. Damiani, P. Tillard, D. Zhuo, A.D.M. Glass, B. Touraine **689–703**

Vol. 52, No. 4 July (I) 2003

Characterization of UDP-glucose:protein transglucosylase genes from potato
F.A. Wald, R. Kissen, P. du Jardin, S. Moreno **705–714**

The *Arabidopsis* SKP1-like genes present a spectrum of expression profiles
K. Marrocco, A. Lecureuil, P. Nicolas, P. Guerche **715–727**

Proteases associated with programmed cell death of megagametophyte cells after germination of white spruce (*Picea glauca*) seeds
X. He, A.R. Kermode **729–744**

Fungus- and wound-induced accumulation of mRNA containing a class II chitinase of the pathogenesis-related protein 4 (PR-4) family of maize
J.M. Bravo, S. Campo, I. Murillo, M. Coca, B. San Segundo **745–759**

Transgene structures in T-DNA-inserted rice plants
S.-R. Kim, J. Lee, S.-H. Jun, S. Park, H.-G. Kang, S. Kwon, G. An **761–773**

Microarray and differential display identify genes involved in jasmonate-dependent anther development
A. Mandaokar, V.D. Kumar, M. Amway, J. Browse **775–786**

The promoter of the *asi* gene directs expression in the maternal tissues of the seed in transgenic barley
A. Furtado, R. Henry, K. Scott, S. Meech **787–799**

MADS-box genes expressed during tomato seed and fruit development
M.V. Busi, C. Bustamante, C. D'Angelo, M. Hidalgo-Cuevas, S.B. Boggio, E.M. Valle, E. Zabaleta **801–815**

Identification and molecular characterization of mitochondrial ferredoxins and ferredoxin reductase from *Arabidopsis*
K. Takubo, T. Morikawa, Y. Nonaka, M. Mizutani, S. Takenaka, K. Takabe, M.-a. Takahashi, D. Ohta **817–830**

Heterotopic expression of class B floral homeotic genes supports a modified ABC model for tulip (*Tulipa gesneriana*)
A. Kanno, H. Saeki, T. Kameya, H. Saedler, G. Theissen **831–841**

A novel brassinolide-enhanced gene identified by cDNA microarray is involved in the growth of rice
G. Yang, M. Matsuoka, Y. Iwasaki, S. Komatsu **843–854**

Cloning, functional expression and expression studies of the nitrate transporter gene from *Chlorella sorokiniana* (strain 211-8k)
M. Koltermann, A. Moroni, S. Gazzarini, D. Nowara, R. Tischner **855–864**

Disruption of *plE2*, the gene for the E2 subunit of the plastid pyruvate dehydrogenase complex, in *Arabdopsis* causes an early embryo lethal phenotype
M. Lin, R. Behal, D.J. Oliver **865–872**

Temporal progression of gene expression responses to salt shock in maize roots
H. Wang, S. Miyazaki, K. Kawai, M. Deyholos, D.W. Galbraith, H.J. Bohnert **873–891**

Changes in gene expression in the wood-forming tissue of transgenic hybrid aspen with increased secondary growth
M. Israelsson, M.E. Eriksson, M. Hertzberg, H. Aspeborg, P. Nilsson, T. Moritz **893–903**

Comparison of plastid DNA replication in different cells and tissues of the rice plant
Y. Wang, Y. Saitoh, T. Sato, S. Hidaka, K.-i. Tsutsumi **905–913**

Vol. 52, No. 5 July (II) 2003

Genetic interactions between *FLM* and other flowering-time genes in *Arabidopsis thaliana*
K. Scortecci, S.D. Michaels, R.M. Amasino **915–922**

Abundance of plastid DNA insertions in nuclear genomes of rice and *Arabidopsis*
I.A. Shahmuradov, Y. Akbarova, V.V. Solovyev, J.A. Aliyev **923–934**

Novel gene expression profiles define the metabolic and physiological processes characteristic of wood and its extractive formation in a hardwood tree species, *Robinia pseudoacacia*
J. Yang, S. Park, D.P. Kamdem, D.E. Keathley, E. Retzel, C. Paule, V. Kapur, K.-H. Han **935–956**

Functional analysis of the rice AP3 homologue *OsMADS16* by RNA interference
H. Xiao, Y. Wang, D. Liu, W. Wang, X. Li, X. Zhao, J. Xu, W. Zhai, L. Zhu **957–966**

Expression of the cation transporter McHKT1 in a halophyte
H. Su, E. Balderas, R. Vera-Estrella, D. Golldack, F. Quigley, C. Zhao, O. Pantoja, H.J. Bohnert **967–980**

Light and circadian regulation in the expression of *LHY* and *Lhcb* genes in *Phaseolus vulgaris*
A.-D. Kaldis, P. Kousidis, K. Kesanopoulos, A. Prombona **981–997**

Generation of *Arabidopsis* protein chips for antibody and serum screening
B. Kersten, T. Feilner, A. Kramer, S. Wehrmeyer, A. Possling, I. Witt, M.I. Zanor, R. Stracke, A. Lueking, J. Kreutzberger, H. Lehrach, D.J. Cahill **999–1010**

Regulation of CDPK isoforms during tuber development
M. Ra"ces, P.R. Gargantini, D. Chinchilla, M. Crespi, M.T. Tellez-Inon, R.M. Ulloa **1011–1024**

Molecular characterization and spatial expression of the sunflower *ABP1* gene
C. Thomas, D. Meyer, M. Wolff, C. Himber, M. Alioua, A. Steinmetz **1025–1036**

Cloning and characterization of the durable tomato mosaic virus resistance gene *Tm-2*^{2} from *Lycopersicon esculentum*
F.C. Lanfermeijer, J. Dijkhuis, M.J.G. Sturre, P. de Haan, J. Hille **1037–1049**

An *Antirrhinum* ternary complex factor specifically interacts with C-function and SEPALLATA-like MADS-box factors
B. Causier, H. Cook, B. Davies **1051–1062**

Molecular characterization of a nuclear topoisomerase II from *Nicotiana tabacum* that functionally complements a temperature-sensitive topoisomerase-II yeast mutant
B.N. Singh, Y. Mudgil, S.K. Sopory, M.K. Reddy 1063–1076

A plasma membrane zinc transporter from *Medicago truncatula* is up-regulated in roots by Zn fertilization, yet down-regulated by arbuscular mycorrhizal colonization
S.H. Burleigh, B.K. Kristensen, I.E. Bechmann 1077–1088

Protein sorting and expression of a unique soybean cotyledon protein, GmSBP, destined for the protein storage vacuole
A. Elmer, W. Chao, H. Grimes 1089–1106

Vol. 52, No. 6 August 2003

Comparative analysis of expressed sequence tags from *Sesamum indicum* and *Arabidopsis thaliana* developing seeds
M.-C. Suh, M.J. Kim, C.-G. Hur, J.M. Bae, Y.I. Park, C.-H. Chung, C.-W. Kang, J.B. Ohlrogge 1107–1123

CHB2*, a member of the *SWI3* gene family, is a global regulator in *Arabidopsis
C. Zhou, B. Miki, K. Wu 1125–1134

Multiple conserved 5′ elements are required for high-level pollen expression of the *Arabidopsis* reproductive actin *ACT1*
A. Vitale, R.J. Wu, Z. Cheng, R.B. Meagher 1135–1151

Repression of formate dehydrogenase in *Solanum tuberosum* increases steady-state levels of formate and accelerates the accumulation of proline in response to osmotic stress
F. Ambard-Bretteville, C. Sorin, F. Rebeille, C. Hourton-Cabassa, C.C. des Francs-Small 1153–1168

Auxin distribution in *Lotus japonicus* during root nodule development
C. Pacios-Bras, H.R.M. Schlaman, K. Boot, P. Admiraal, J.M. Langerak, J. Stougaard, H.P. Spaink 1169–1180

Characterization of an *Arabidopsis* mutant deficient in γ-tocopherol methyltransferase
E. Bergmüller, S. Porfirova, P. Dermann 1181–1190

Isolation and characterization of a novel rice Ca^{2+}-regulated protein kinase gene involved in responses to diverse signals including cold, light, cytokinins, sugars and salts
K.-N. Kim, J.-S. Lee, H. Han, S.A. Choi, S.J. Go, I.S. Yoon 1191–1202

Dual positional specificity and expression of non-traditional lipoxygenase induced by wounding and methyl jasmonate in maize seedlings
E.-S. Kim, E. Choi, Y. Kim, K. Cho, A. Lee, J. Shim, R. Rakwal, G.K. Agrawal, O. Han 1203–1213

The *SELF-PRUNING* gene family in tomato
L. Carmel-Goren, Y.S. Liu, E. Lifschitz, D. Zamir 1215–1222

Pleiotropic effects of suppressing deoxyhypusine synthase expression in *Arabidopsis thaliana*
T.-W. Wang, L. Lu, C.-G. Zhang, C. Taylor, J.E. Thompson **1223–1235**

Instructions for authors **1237–1240**

Volume contents **1241–1248**

Author index **1249–1250**